SCOPE:

This specification applies to the Pb Free high current type SMD inductors for MSCDRI-103R-SERIES

PRODUCT INDENTIFICATION


MSCDRI-103R-100 M

- (1)

3 4

- 1 Product Code
- **② Dimensions Code**
- **3 Inductance Code**
- **4** Tolerance Code

(1) SHAPES AND DIMENSIONS



A: 10.0±0.5 mm

B: 10.1±0.5 mm

C: 3.10 Max. mm

D: 1.20 Typ. mm

E: 7.70 Typ. mm

F: 3.00 Typ. mm

(2) ELECTRICAL SPECIFICATIONS SEE TABLE 1

TEST INSTRUMENTS

L : HP 4284A PRECISION LCR METER (or equivalent)

RDC: CHROMA MODEL 16502 MILLIOHMMETER (or equivalent)

(3) CHARACTERISTICS

- (3)-1 Ambient temperature $+60^{\circ}$ C Max.
- (3)-2 Operate temperature range -40° C $\sim +125^{\circ}$ C (Including self temp. rise)
- (3)-3 Storage temperature range -40° C $\sim +125^{\circ}$ C



TABLE 1

MAGLAYERS	Inductance	Percent	Test	Resistance	Rated D	C Current	Marking
PT/NO.	L(µH)	Tolerance	Frequency	RDC(Ω)Max.	IDC1(A)	IDC2(A)	Warking
MSCDRI-103R-1R0□	1.0	N	100kHz/0.25V	11.0m	8.00	5.80	1R0
MSCDRI-103R-1R5□	1.5	N	100kHz/0.25V	11.0m	8.00	5.80	1R5
MSCDRI-103R-2R2□	2.2	N	100kHz/0.25V	16.9m	6.70	5.10	2R2
MSCDRI-103R-3R3□	3.3	M,N	100kHz/0.25V	21.0m	5.56	4.70	3R3
MSCDRI-103R-3R6□	3.6	M,N	100kHz/0.25V	21.0m	5.56	4.70	3R6
MSCDRI-103R-4R7□	4.7	M,N	100kHz/0.25V	30.0m	4.65	4.00	4R7
MSCDRI-103R-6R8□	6.8	N	100kHz/0.25V	35.0m	3.84	3.60	6R8
MSCDRI-103R-8R2□	8.2	N	100kHz/0.25V	50.0m	3.54	3.00	8R2
MSCDRI-103R-100□	10	M,N	100kHz/0.25V	59.0m	3.18	2.80	100
MSCDRI-103R-150□	15	M,N	100kHz/0.25V	91.0m	2.60	2.05	150
MSCDRI-103R-220□	22	M,N	100kHz/0.25V	0.143	2.16	1.60	220
MSCDRI-103R-270□	27	M,N	100kHz/0.25V	0.180	1.80	1.40	270
MSCDRI-103R-330□	33	M,N	100kHz/0.25V	0.202	1.74	1.35	330
MSCDRI-103R-390□	39	M,N	100kHz/0.25V	0.250	1.60	1.30	390
MSCDRI-103R-470□	47	M,N	100kHz/0.25V	0.299	1.43	1.20	470
MSCDRI-103R-560□	56	M,N	100kHz/0.25V	0.325	1.36	1.15	560
MSCDRI-103R-680□	68	M,N	100kHz/0.25V	0.429	1.22	0.95	680
MSCDRI-103R-820	82	M,N	100kHz/0.25V	0.494	1.14	0.80	820
MSCDRI-103R-101	100	K,M	100kHz/0.25V	0.683	1.02	0.70	101
MSCDRI-103R-121	120	K,M	100kHz/0.25V	0.754	0.89	0.65	121
MSCDRI-103R-151	150	K,M	100kHz/0.25V	0.871	0.84	0.51	151

※ ☐ specify the inductance tolerance,K(±10%),M(±20%),N(±30%)

% IDC1 : Based on inductance change (\triangle L/Lo : drop 35% Max.)@ambient temperature 25 $^{\circ}$ C

IDC2: Based on temperature rise ($\triangle T$: 40°C TYP.)

Rated DC Current: The less value which is IDC1 or IDC2.

(4) RELIABILITY TEST METHOD

MECHANICAL

TEST ITEM	SPECIFICATION	TEST DETAILS		
Substrate bending	∆L/Lo≦±5%	The sample shall be soldered onto the printed circuit board		
		in figure 1 and a load applied unitil the figure in the arrow		
	There shall be	direction is made approximately 3mm.(keep time 30 seconds)		
	no mechanical	PCB dimension shall the page 7/9		
	damage or elec-	F(Pressurization)		
	trical damege.	Д		
		R5 45±2 45±2 10 20 R340		
		PRESSURE ROD figure-1		
Vibration	∆L/Lo≦±5%	The sample shall be soldered onto the printed circuit board		
		and when a vibration having an amplitude of 1.52mm		
	There shall be	and a frequency of from 10 to 55Hz/1 minute repeated should		
	no mechanical	be applied to the 3 directions (X,Y,Z) for 2 hours each.		
	damage.	(A total of 6 hours)		
Solderability	New solder	Flux (rosin, isopropyl alcohol{JIS-K-1522}) shall be coated		
	More than 90%	over the whole of the sample before hard, the sample shall		
		then be preheated for about 2 minutes in a temperature of		
		130∼150℃ and after it has been immersed to a depth 0.5mm		
		below for 3±0.2 seconds fully in molten solder M705 with		
		a temperature of 245±5℃.		
		More than 90% of the electrode sections shall be couered		
		with new solder smoothly when the sample is taken out of		
		the solder bath.		



MECHANICAL

TEST ITEM	SPECIFICATION			
Resistance to Soldering heat	There shall be no damage or problems.	Temperature profile of reflow soldering 300		
		The specimen shall be passed through the reflow oven with the condition shown in the above profile for 1 time.		

ELECTRICAL

TEST ITEM	SPECIFICATION	TEST DETAILS
Insulation	There shall be	DC 100V voltage shall be applied across this sample of top
resistance	no other	surface and the terminal.
	damage or	The insulation resistance shall be more than $1 \times 10^8 \Omega$.
	problems.	
Dielectric	There shall be	AC 100V voltage shall be applied for 1 minute acrosset the top
withstand	no other	surface and the terminal of this sample
voltage	damage or	
	problems.	
Temperature	∆L/L20°C ≦±10%	The test shall be performed after the sample has stabilized in
characteristics	0~2000 ppm/℃	an ambient temperature of -20 to +85 $^{\circ}\!$
		calculated based on the value applicable in a normal
		temperature and narmal humidity shall be △L/L20°C ≦±10%.



ENVIROMENT CHARACTERISTICS

TEST ITEM			SPECIFICATION			
High temperature	∆L/Lo≦±5%	The sample shall be left for 96±4 hours in an atmospere with				
storage		a temperature of 85±2℃ and a normal humidity.				
	There shall be	Upon completion of the measurement shall be made after the				
	no mechanical	sample has been left in a normal temperature and normal				
	damage.	humidity for 1 hour.				
Low temperature	∆L/Lo≦±5%	The sample shall be left for 96±4 hours in an atmosphere with				
storage		a temperature of -25±3℃.				
	There shall be	Upon completion of the test, the measurement shall be made				
	no mechanical	after the sample has been left in a normal temperature and				
	damage.	normal humidity	normal humidity for 1 hour.			
Change of	∆L/Lo≦±5%	The sample shall be subject to 5 continuos cycles, such as shown				
temperature		in the table 2 below and then it shall be subjected to standard				
	There shall be	atmospheric co	tmospheric conditions for 1 hour, after which measurement			
	no other dama-	shall be made.				
	ge of problems					
			table 2			
			Temperature	Duration		
		1	−25±3 °C	30 min.		
			(Themostat No.1)			
		2	Standard	No.4 . No.2		
			atmospheric	No.1→No.2		
		3	85±2 ℃	30 min.		
			(Themostat No.2)			
		4	Standard	No.2→No.1		
			atmospheric	NO.Z→NO.1		
Moisture storage	∆L/Lo≦±5%	The sample shall be left for 96±4 hours in a temperature of				
		40±2℃ and a humidity(RH) of 90∼95%.				
	There shall be	Upon completion of the test, the measurement shall be made				
	no mechanical	after the sample has been left in a normal temperature and				
	damage.	normal humidity	normal humidity more than 1 hour.			




(5) LAND DIMENSION (Ref.)


PCB: GLASS EPOXY t=1.6mm

(5)-1 LAND PATTERN DIMENSIONS

(STANDARD PATTERN) Unit:mm




(5)-2 SUBSTRATE BENDING TEST BENDING TEST BOARD






(6) PACKAGING

(6)-1 CARRIER TAPE DIMENSIONS (mm)





(6)-2 TAPING DIMENSIONS (mm)





(6)-3 REEL DIMENSIONS (mm)





(6)-4 QUANTITY

1000pcs/Reel

The products are packaged so that no damage will be sustained.